

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	15	multicast address allocation server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/14 18:33
L7	18	dynamic\$4 multicast (address OR address) (allocation OR creat\$5 OR generat\$4) server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/10/14 19:00
L8	4	7 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:38
L9	88	multicast (address OR address) (allocation OR creat\$5 OR generat\$4) server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/10/14 18:49
L10	36	9 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:52
L11	19	10 AND (destination NEAR2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:50
L20	13	(US-20020012327-\$ or US-20020111911-\$).did. or (US-6101180-\$ or US-6138144-\$ or US-6359902-\$ or US-6483832-\$ or US-6567851-\$ or US-6728715-\$ or US-6728775-\$ or US-6751218-\$ or US-6839348-\$ or US-5835723-\$ or US-6880090-\$). did.	US-PGPUB; USPAT	OR	ON	2005/10/14 18:48
L22	922	(allocat\$5 OR creat\$5 OR generat\$4) (multicast NEAR2 (address OR group))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/10/14 18:50
L23	129	22 SAME (destination NEAR2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:51
L24	58	23 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:51

L25	15	22 SAME (destination NEAR2 address) SAME select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:51
L27	6	25 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:01
L29	2	27 AND (multicast ADJ (center OR controller OR server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:58
L30	23	dynamic\$4 multicast (address OR group) (allocat\$4 OR creat\$5 OR generat\$4) server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/10/14 19:00
L31	5	30 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 19:01
S1	385	client SAME server SAME multicast SAME group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:05
S2	64066	(data OR content OR information OR message) SAME ((IP OR destination OR target) NEAR2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 14:27
S3	46	S1 SAME S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 14:12
S4	20480266	@ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:34
S5	15	S3 AND S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 14:24
S6	319	generat\$3 multicast group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/10/04 14:24

S7	3	S3 AND S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 14:25
S8	179	S2 AND S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 14:27
S9	72	S8 AND S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 14:27
S10	4	S8 AND S4 AND S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 14:45
S11	1	central NEAR (server OR system OR manager) SAME ((generat\$3 OR creat\$3) NEAR2 (multicast NEAR group))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 14:47
S12	1	(central NEAR2 (server OR system OR manager)) SAME ((generat\$3 OR creat\$3) NEAR2 (multicast NEAR group))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 14:47
S13	20	(central NEAR2 (server OR system OR manager)) AND ((generat\$3 OR creat\$3) NEAR2 (multicast NEAR group))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 14:47
S14	12	S13 AND S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 17:44
S15	6	("6,049,878") or ("6,026,430") or ("6,185,602").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 17:48
S21	13318	(709/203,226,229,231,232,238). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 17:43
S24	30	((generat\$3 OR creat\$3) NEAR3 (multicast ADJ group)) SAME (IP OR destination OR target) SAME address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 18:19

S26	11	S24 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 14:58
S34	29	multicast SAME server SAME group SAME (data OR multimedia OR content) SAME (IP OR destination OR target) SAME address SAME (creat\$4 OR generat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 18:32
S35	9	S34 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 18:36
S36	17	generat\$3 ADJ2 multicast ADJ group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 18:37
S37	3	S36 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 18:37
S38	87	(generat\$3 OR creat\$3) ADJ2 multicast ADJ group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 18:37
S39	45	S38 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 18:37
S40	5	S21 AND S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 18:37
S41	2954	Multicast\$3 NEAR2 group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 19:01
S42	13318	(709/203,226,229,231,232,238). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/04 18:57
S43	112	creat\$3 NEAR2 Multicast\$3 NEAR2 group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 19:00

S44	8	S42 AND S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 19:00
S45	52	server WITH (Multicast\$3 NEAR2 group) WITH (IP OR destination) WITH address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 19:01
S46	18	S45 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/04 19:02
S47	0	this NEAR application NEAR is NEAR a NEAR2 PCT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 10:31
S48	0	application NEAR is NEAR a NEAR2 PCT	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 10:31
S49	4480	application NEAR2 "371" NEAR2 PCT\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 10:39
S50	2849	MULTICAST.TI.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 10:33
S53	1	S49 and MULTICAST	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 14:38
S54	4066013	@ad>"20020101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 10:37
S62	3655619	application NEAR2 "371" NEAR2 PCT\$5 NEAR4 provisional NEAR3 patent application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 10:39
S63	1	application NEAR2 "371" NEAR2 PCT\$5 NEAR4 provisional NEAR3 patent NEAR2 application	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/05 14:10

S67	2	("20010040900").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 14:38
S68	2	("20020138575").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 13:57
S69	14	generat\$3 multicast group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/06 15:01
S70	55	(generat\$3 OR creat\$3 OR mak\$3) multicast group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/06 17:01
S71	650	(generat\$3 OR creat\$3 OR mak\$3) multicast group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/10/06 15:09
S72	31114	data (destination OR target) address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/10/06 15:06
S73	11	S71 SAME S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:03
S74	162	S71 AND S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:06
S75	82	S74 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 17:05
S76	6	S75 AND (central NEAR server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:07
S77	51	S75 AND server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:08

S78	31	S77 AND client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:08
S79	55	(generat\$3 OR creat\$3 OR mak\$3) multicast group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/06 15:09
S81	12	(US-6078954-\$ or US-6101180-\$ or US-6138144-\$ or US-6154463-\$ or US-6269080-\$ or US-6321270-\$ or US-6331983-\$ or US-6415323-\$ or US-6567851-\$ or US-6728715-\$ or US-6751218-\$). did. or (WO-9848343-\$).did.	USPAT; EPO	OR	ON	2005/10/06 15:52
S82	12	S81 AND (multicast ADJ group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:54
S83	7	S81 AND (multicast ADJ group) AND ((destination OR target) NEAR2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 15:59
S84	21	(data OR information OR content) ((destination OR target) NEAR2 address) (central ADJ2 (server OR system OR manager))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/10/06 16:52
S85	13	S84 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 16:53
S86	3950	(client OR user) (transmit\$4 OR send\$3 OR transfer\$4) (data OR content OR document) ((IP OR destination OR target) NEAR2 address) (server OR ((central OR center) NEAR2 (manager OR controller OR system)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/10/06 17:01
S87	153	(generat\$3 OR creat\$3 OR mak\$3) NEAR2 (multicast ADJ group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/07 15:29
S88	14	S86 AND S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/06 17:02
S89	421	(generat\$3 OR creat\$3 OR mak\$3) WITH (multicast ADJ group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/06 17:05

S90	153	S87 AND S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/06 17:05
S91	73	S90 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/06 17:05
S93	15	((generat\$3 OR creat\$3 OR produc\$3) NEAR2 (multicast ADJ2 group)) SAME ((IP OR identification OR destination OR target) NEAR3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 15:31
S98	9	((generat\$3 OR creat\$3) NEAR3 (multicast ADJ group)) WITH (IP OR destination OR target) WITH address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 17:31
S99	45	((generat\$3 OR creat\$3) WITH (multicast ADJ group)) WITH (IP OR destination OR target) WITH address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 17:40
S10 0	15	S99 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 17:59
S10 1	17	((generat\$3 OR creat\$3) NEAR2 (multicast ADJ group)) SAME ((IP OR destination OR target) WITH address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 17:41
S10 2	6	S101 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 17:41
S10 3	14387	((709/203,226,229,231,232,238) or (370/390,432)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/07 17:43
S10 4	7	S100 AND S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 17:57
S10 5	2	dynamic\$4 creat\$4 multicast group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/10/07 17:59

S10 6	19	dynamic\$4 creat\$4 multicast group	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/10/07 17:59
S10 7	10	S106 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/07 17:59
S10 9	102	creat\$3 NEAR2 (multicast ADJ group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/09 15:55
S11 0	2	S109 WITH target	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/09 15:57
S11 1	13	S109 WITH IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/09 16:05
S11 2	141	(creat\$3 OR generat\$3) NEAR2 (multicast NEAR group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/09 16:09
S11 3	21	((creat\$3 OR generat\$3) NEAR2 (multicast NEAR group)) SAME (IP OR destination OR target) SAME address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/09 16:15
S11 4	9	S113 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/09 16:10
S11 5	1105	((creat\$3 OR generat\$3) AND (multicast NEAR group)) AND (IP OR destination OR target) AND address AND (data OR information OR content OR document) AND (server OR (central NEAR2 (server OR manager OR controller)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/09 16:17

S11 6	27	(US-20020012327-\$ or US-20030165140-\$).did. or (US-6078954-\$ or US-6101180-\$ or US-6138144-\$ or US-6154463-\$ or US-6269080-\$ or US-6321270-\$ or US-6331983-\$ or US-6370142-\$ or US-6415323-\$ or US-6452924-\$ or US-6483832-\$ or US-6567851-\$ or US-6697649-\$ or US-6728715-\$ or US-6751218-\$ or US-6839348-\$ or US-6850531-\$ or US-6947419-\$ or US-6728775-\$ or US-5561637-\$ or US-6728356-\$ or US-6738828-\$).did. or (WO-9848343-\$).did. or (JP-2000332751-\$).did. or (KR-2001045237-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/10/09 16:17
S11 7	19	S115 AND S116	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/09 16:28
S11 8	30	((generat\$3 OR creat\$3) NEAR3 (multicast ADJ group)) SAME (IP OR destination OR target) SAME address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/09 17:41
S12 6	10	(client OR customer OR user) select\$3 multicast ((destination OR recipient) NEAR2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/10/11 15:37
S12 7	47	(client OR customer OR user) select\$3 multicast ((destination OR recipient) NEAR2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/10/11 15:37
S12 8	9	S127 SAME ((host NEAR group) OR (multicast NEAR group))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/10/11 15:42
S12 9	14	S127 AND ((host NEAR group) OR (multicast NEAR group))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/10/11 15:42
S13 0	5	S129 NOT S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/10/11 18:32
S13 1	79	multicast (host OR node) group server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/10/11 18:33

S13 3	21	S131.bsum.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2005/10/11 18:35
S13 4	9	S133 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 18:36
S13 5	119	creat\$3 NEAR2 (multicast NEAR (address OR group))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 21:09
S13 6	15	creat\$3 NEAR2 (multicast NEAR (address OR group)) SAME destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 21:13
S13 7	41	creat\$3 ADJ (multicast NEAR (address OR group))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 21:14
S13 8	16	S137 AND (destination NEAR address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 21:14
S13 9	10	S138 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/12 21:15
S14 0	94	(creat\$4 OR generat\$4 OR form\$3) WITH (multicast ADJ (address OR group)) WITH destination WITH address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:26
S14 1	42	S140 AND @ad<"20010326"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:27
S14 2	3912	(user OR client) WITH (select\$4 OR defin\$3) WITH (destination OR target) WITH (device OR address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:29
S14 3	1	S141 AND S142	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 09:29

S14 6	4	provid\$3 WITH (list OR option) WITH (select OR choose) WITH (destination OR target) WITH (address OR device) WITH multicast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 16:14
S14 7	9100	kennedy.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 15:43
S14 8	2	S147 AND distribution ADJ list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 15:44
S14 9	5	S147 AND distribution NEAR list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 15:44